

Parmelia Gas Pipeline & Kwinana Supply Lateral




legend

DS	Delivery Stream (APA convention)
	Non-Scheme Pipeline section
	Single direction flow
	Bi-directional flow
	Trade Point
	Westlime Lateral
	Chandala Lateral
	Bullsbrook (Rocla) Lateral
	Canningvale Lateral
	Hismelt Lateral

naming convention:
 Connecting Facility (Delivery / Receipt point)

Nameplate Capacities		
1	PGP Mainline (Southernhaul)	68 TJ/d
2	Kwinana Supply Lateral	11 TJ/d





	Point	Value
Receipt Point Pressures		
Min Pressures	Mondarra Storage Facility	As directed by APA but no more than 7,480kPa
	Beharra Springs	As directed by APA but no more than 7,480kPa
Max Pressures	Mondarra Storage Facility	7,480 kPa
	Beharra Springs	7,480 kPa
Delivery Point Pressures		
Min Pressures	Mondarra Storage Facility	4,500 kPa
	ROC Oil	350 kPa
	Tiwest Chandala	700 kPa
	Rocla	700 kPa
	North Metro Interconnect	1,500 kPa
	Whiteman Brick	700 kPa
	Fero Industries	700 kPa
	Tip Top Canningvale	700 kPa
	South Metro Interconnect	1,500 kPa
	Tronox Kwinana	700 kPa
	Hismelt Kwinana	2,000 kPa
	BP Oil Kwinana	400 kPa
	Alcoa Pinjarra	700 kPa
Max Pressures	Mondarra Facility	7,480 kPa
	ROC Oil	7,480 kPa
	Tiwest Chandala	7,480 kPa
	Rocla	7,480 kPa
	North Metro Interconnect	5,610 kPa
	Whiteman Brick	5,610 kPa
	Fero Industries	5,610 kPa
	Tip Top Canningvale	5,610 kPa
	South Metro Interconnect	5,610 kPa
	Tronox Kwinana	5,610 kPa
	Hismelt Kwinana	5,610 kPa
	BP Oil Kwinana	5,610 kPa
	Alcoa Pinjarra	5,610 kPa



Locational MDQs	Point	Value
Receipt Point MDQs	Mondarra Storage Facility	60 TJ
	Beharra Springs	20 TJ
Delivery Point MDQs	Mondarra Storage Facility	40 TJ
	ROC Oil	1 TJ
	Tiwest Chandala	6.1 TJ
	Rocla	0.2 TJ
	North Metro Interconnect	10 TJ
	Whiteman Brick	2.3 TJ
	Fero Industries	13 TJ
	Tip Top Canningvale	5.6 TJ
	South Metro Interconnect	20 TJ
	Tronox Kwinana	8.8 TJ
	Hismelt Kwinana	4.6 TJ
	BP Oil Kwinana	1 TJ
Alcoa Pinjarra	50 TJ	